

AMENDED

Nº 52353

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. AUG 1 1988
Returned to applicant for correction. SEP 13 1988
Corrected application filed NOV 7 1988
Map filed NOV 14 1988 under 52352

The applicant Boulder Dam Area Council - Boy Scouts of America
1135 University Road, of Las Vegas,
Street and No. or P.O. Box No. City or Town
Nevada 89119, hereby make application for permission to appropriate the public
State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground - Clark County
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is .0418 second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet
3. The water to be used for recreational and domestic purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point in the Northeast Quarter (NE $\frac{1}{4}$) of
the Southeast Quarter (SE $\frac{1}{4}$) of Section 31, Township Describe as being within a 40-acre subdivision of public
22 South, Range 58 East, M.D.M., Clark County, Nevada at a point from which the
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. Northeast corner of said Section
31 bears North 13°13' 49" East, 3074.66 feet.
6. Place of use All of Section 32, Township 22 South, Range 58 East, and the Southeast
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Quarter (SE $\frac{1}{4}$) of Section 31, Township 22 South, Range 58 East, and the Northeast
Quarter (NE $\frac{1}{4}$) of Section 6, Township 23 South, Range 58 East, and the Northwest
Quarter (NW $\frac{1}{4}$) of Section 5, Township 23 South, Range 58 East, M.D.M. Clark County,
Nevada.
7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) drilled well with pump and motor
State manner in which water is to be diverted, i.e. diversion structure, ditches and
flumes, drilled well with pump and motor, etc.
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works. \$60,000

10. Estimated time required to construct works 120 days
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water is to be distributed to numerous camp sites and support facilities
for potable use and/or for fire protection and recreational use in a swimming
pool and water training facility. This use is support of the expansion of
the Mount Potosi Boy Scout Camp.

By s/ Kay L. Adams
1555 S. Rainbow Blvd.
Las Vegas, Nevada 89102

Compared pm/jjs bp/se

Protested 1/17, 1/26/89 by Peter G. Sarles, Potosi Pines United Methodist Church Camp
Pro. Overruled 11/9/89; Ruling respectively
No. 3654

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 43372, 52352 and 52353 shall not exceed 2.41 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0418 cubic feet per second, but not to exceed 2.41 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before June 27, 1990

Proof of completion of work shall be filed on or before July 27, 1990

Application of water to beneficial use shall be made on or before June 27, 1992

Proof of the application of water to beneficial use shall be filed on or before July 27, 1992

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed State Engineer of Nevada, have hereunto set my hand and the seal of my
office, this 29th day of November

Cultural map filed

Certificate No. Issued

A.D. 19 89

State Engineer

(O)-5314 (Rev.)

CANCELLED JAN 12 1995

BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Abrogated By 56014 0.0302

State Engineer